# CLASSE 300EOS



## The Evolution of Smart









CLASSE 300EOS

Change your idea of a video internal unit.







# The smart vision of the home

Distinctive design to meet the needs of contemporary living. Vertical and super slim. With its clean and modern design, it gives every type of home an innovative look, and offers a unique user experience.



### Vertical display and curved shape: a disruptive and modern design, but also understated.



5" Touch Screen Vertical display for a better view of the caller











Horizontal display Double "tap" the display to view the image in landscape format









**Curved shape** The shape of a welcome: a "welcoming effect" for residents and quests.

CLASSE 300EOS | CATALOGUE | 5




# Advanced interface



Intuitive use For simple smartphone-like gestures (swipe function)



Quick tips To guide you and suggest in a dynamic way




• blicing

1









3 SUGGESTION AREA

- Guided configurations - System information - Last notification - Useful tips



5 FAVOURITE ACTIONS - 2 quick actions - Favourite menu

**DOOR ENTRY FUNCTIONS** 

Activate the cameraAnswer the call - Favourite functions - Activation of the electrical door lock HOME + SECURITY

# Always aware with the Home + Security App



#### The best App for a safe home


Alerts and notifications for incoming calls, motion and people detection, event information and door lock management with a simple and intuitive interface.



Answer the calls, activate the electrical door locks, activate the cameras and display the timeline of the events

Manage up to 20 homes with your single account

INCOMING CALL Receive notification when someone is calling. SEE WHO'S CALLING Answer the call and open the gate for the courier.












Check who called you and if they left you a message.



#### QUICK ACTIONS

- Activate electrical door locks
- Activate timed staircase lights
- Call home / Intercom
- Monitor cameras
- Manage the video door entry answering machine





SAFETY

Security enhancement with integration of Netatmo devices

# Video door entry system and security together

...

VIDEO DOOR ENTRY SYSTEM




Main entrance Incoming entrance call.



Secondary entrance and interiors Smart Outdoor Camera with Siren and movement detection. Smart Indoor Camera with face recognition.



Professional opportunity: Offer your services as an installer of simple smart security systems. Business opportunities: Access to a catalogue of smart and easy-to-install security devices.



Solutions for a smart and complete protection of your home Security cameras, alarms, opening sensors, smoke detector. Leave your home without worries.

Netatmo solutions natively integrated in the Home + Security App




Camera



Smart Outdoor Camera with Siren



Smart Door and Window Sensors Smart Video Doorbell



A single App with an intuitive home page. It allows you to answer video door entry calls, activate the door lock and view images from Netatmo smart outdoor and indoor cameras.



### Home + Security The best App for a safe home.





Smart Indoor Camera



Smart Indoor Siren

ALEXA BUILT-IN



## alexa built-in

# The first video internal unit with built-in Alexa

#### Enjoy the full Alexa experience

Interacting with all its functions, such as: Custom routines - Play Music - Smart Home To set the clock alarms – Memos and video door entry functions.



Add any compatible "works with Alexa" devices, to offer your customers an increasingly Smart home.







**NOTE:** Alexa is not available in all languages and Countries. Alexa features and functionality may vary by location.



"Alexa, answer the call"





# 2 wire standard installation

supplied with no need of masonry works. rules as for the 2 wire video internal units.




No changes to your working habits.

Forget complex installations and configurations of Ethernet networks, and continue to enjoy the **simplicity** of 2 wire solutions. Everything stays the same thanks to the Wi-Fi technology integrated in the video internal unit.

#### Simple and intuitive configuration

The configuration requires no IT skills. You must only configure the classic 2 WIRE system parameters (entrance panel and internal unit SCS addresses, etc.). Your customer manages all the configurations of the Wi-Fi network and the App independently and intuitively. If necessary one can follow the information on the video door entry display and inside the Home + Security App menu.





Same installation rules as for the 2 wire video internal units.



Installation, connection of the two BUS wires, configuration of the main system parameters: job done!

# Immediate and simple to associate


After the App download, a guided procedure allows the association between smartphone and Classe 300EOS.



A few simple guided steps to complete the association of the App with the video internal unit

 $\mathbf{1}$ After downloading the H+S App to your smartphone from the store or using the QR code on the video internal unit, simply select «START CONFIGURATION».

Select the Classe 300EOS device in the H+S App menu.









The video internal unit has a QR Code, which can simply be framed in the H+S App to complete the association within the same Wi-Fi network.

After the association, the device is configured and ready for use.

15:23	(۵) (۵) (۵) (۵) (۵) (۵) (۵) (۵) (۵) (۵)	1523 ••• ••• ••• ••• ••• ••••••••••••••••
<	Setup	< Setup
		$\bigtriangledown$
	Use setup code	Congratulations!
already s	the instruction on screen if you are tarted the setup on Classe 300EOS, wise go to Settings > App > Setup code.	Your Classe 300EOS is now configured.
	Continue	Next

The connection to the dedicated Cloud totally and safely automates the configuration on the home network (you do NOT need to configure your router). The video internal unit transfers all the configuration of the 2 WIRE video door entry system (cameras, door locks, activations etc.) to the App.

From Smartphone, using the App, you can always display the mobile devices associated to it and decide which to disconnect or cancel at any time.

# Suitable for all home environments



## FOR SINGLE OR SEMI-DETACHED HOUSES

The easiest way to make your home safer.

External

pushbutton panel



Built-in connectivity for constant connection with the home.

Complete the system with Netatmo security solutions: Outdoor and indoor cameras, alarms, opening sensors, for a simple, smart and complete protection of the home.

> One single App (Home + Security) for the video door entry functions and the security of the home.

No extra work for the installer; easier to use for the end user.


# alexa built-in

Classe 300EOS

video internal unit

Smartphone

H+S







#### Alexa ready apartments, for a first level Smart Home.

Preparation of the single apartment system for future expansions using Netatmo security solutions. Leaving to the end user the freedom to customise their home even at a later date.

> One single App (Home + Security) for the video door entry functions and the security of the home.

Flexible solution, suitable for every context and adaptable to every customer.


> Warning: In multi-residential applications you need the extra power supply of the CLASSE 300EOS video internal unit (install 1 extra power supply 346020 for each Classe 300EOS)

gk(1)



### FOR MULTI-RESIDENTIAL **APPLICATIONS**

Install, configure and activate the system on location. All that your customer will then need to do, is to associate the H + S App to the system using their smartphone.



NOTE: For the sizing of multi-family systems refer to the General Installation Standards of the 2 Wire System Technical Guide.



- blicino.....

< ADVANCED SETTINGS

Settings

🗞 Door entry

Zigbee netwo

Connection to Ho



Flexibility and savings: you can choose the technology that you prefer.

A Smart Home with a simple App



**MyHOME** home automation system



Classe300EOS comes with an embedded smart gateway for complete smart home automation.

R

☆.

• •


## Stay connected!





## For a Smart Home there is no need for additional gateways or webservers:

HOME + SECURITY to manage all the video door entry functions inside and outside the



HOME + CONTROL to always have Smart functions (lights, sockets, shutters, temperature control) at hand... inside and outside the home.




Thermostat



## Classe 300EOS Front view

## Features and functions





344842

#### MAIN FEATURES

$\checkmark$	5" vertica
$\checkmark$	Handsfre
V	White fin
V	Wall mou

V	Activation
V	Staircase
V	Entrance
V	Intercom
V	Floor cal
V	Professio
V	Video doo
V	Master /
V	Safe door
V	Wi-Fi cor
V	Built-in A
V	Notificati
V	Quick lin
V	Favourite
V	6 availab

#### **Back view**

Speaker		
Plug-in connectors with screw clamps for connection (BUS-MH) – BUS SCS MyHome Home Automation system; (5M-1) – additional ringtone; () – call to the floor external pushbutton		ON / OFF micro switch
Dip-switch to enable	BTCNO Via Bont, 231 2100 VA1/ALY Mode In Bay	power supply (2-1)
Dip-switch to select the MASTER / SLAVE function		micro-switch – 🔀 Connector for the connection to the LAN network using Ethernet accessory 344844
Configurator socket MINI-USB socket for firmware update		Plug-in connector with screw clamps for connection (2-1) – Additional power supply; (BUS-AV) – BUS SCS 2 wires video door entry system



$\checkmark$	Answer a
V	Activation
V	Entrance p
V	Staircase l
V	Activation
V	Managem (smoke se
V	Video door
V	Intercom o
V	History of



#### al touch screen colour LCD display

ee communication

nish

unted installation using the supplied bracket

#### AVAILABLE FUNCTIONS FROM VIDEO INTERNAL UNIT

on of the electrical door lock

e light activation

panel/scrolling activation

ional Studio (Office)

oor entry answering machine

/ Slave

or lock

onnectivity

Alexa voice assistant

tion management

nk - Favourite / most used functions

e control

ble ringtones

#### AVAILABLE FUNCTIONS FROM HOME + SECURITY APP

video door entry system call

of the electrical door lock

panel/scrolling activation

light activation

and monitoring of the smart Netatmo cameras

nent of the Netatmo Security devices ensor, burglar-alarm siren, opening sensor...)

r entry answering machine

call from smartphone to video internal unit

the events

## Classe 300EOS Catalogue



ltem

#### CLASSE 300EOS **CONNECTED VIDEO INTERNAL UNIT** 344842 2 wires/Wi-Fi handsfree connected video internal unit with built-in

Amazon Alexa voice assistant, 5" vertical touch screen LCD display and video door entry answering machine. It has a physical key for door lock release and capacitive keys for the control of the main video door entry functions: handsfree communication, entrance panel activation /camera scrolling and Favourite key (can be configured to activate the quick actions most frequently used e.g. additional door locks, staircase light control, intercom). There are notification LEDs for: Wi-Fi network connection status, info / notifications and call exclusion. It is possible to easily interact with the built-in Alexa voice assistant, either using the dedicated capacitive keys or with your voice, and activate several functions, such as the video door entry functions, Smart Home, scenarios, reminders etc. Using the touch display, it is possible to access the notification list, as well as your favourite door entry, security and Smart Home controls (if any). Possibility of voice communication with the switchboard - if present in the system - after a specific call. The device must be configured by physically connecting the configurators, or using the menu, which will give better possibilities of customisation of associated functions and texts. Thanks to the Wi-Fi connection, you can associate the video internal unit to the Home + Security App (available for Android and iOS). The App allows to use the main video internal unit functions (receiving calls, door lock release, display of the event timeline and activation of the entrance panel/camera cycling). Through the Home + Security App, it is also possible to manage the products of the Netatmo security range (outdoor and indoor cameras, door and window sensors, indoor siren and smoke detector). This allows you to quickly and easily create a Smart security system. The device also allows to create and manage Smart Home functions, using the wired SCS BUS solution, without the need for adding dedicated gateways. Wall mounted installation using the supplied bracket Possibility of Wi-Fi connection or using RJ45 ethernet cable with the dedicated accessory 344844.

#### **ETHERNET ACCESSORY**

ltem

344844 Accessory cable for the wired connection of the Classe 300EOS video internal unit using an RJ45 Ethernet cable. To be purchased separately.

#### **2 DIN ADDITIONAL POWER SUPPLY** ltem

346020 Additional 2 DIN power supply to be used to supply the connected CLASSE 300EOS video internal unit (344842) locally, when required.



## Netatmo safety devices Catalogue



ltem	SMART OUTDOOR CAMERA
Item NOC01-P2	SMART OUTDOOR CAMERA Smart outdoor safety camera with detection of people, animals and vehicles. Aluminium single monobloc construction. Ultra-resistant glass and plastic, protection against UV rays. Video sensor: 4MP. Resolution: Full HD 1080 p. Coding: H.264. Long-range detection: up to 20 m. Field of view: 100°. 8x digital zoomfor videos. Video live microphone. LED spotlight: 12 W, variable intensity. Infrared night vision: 15 m.
	Encryption protected access to the smartphone using the Home + Security App.
	Weather resistant: designed for outdoor use (HZO protection).

ltem	SMART OUTDOOR CAMERA WITH SIREN
NOC-S-P	Smart outdoor safety camera with detection of people, animals and vehicles. Equipped with 105 db alarm siren. Aluminium single monobloc construction. Ultra-resistant glass and plastic, protection against UV rays. Video sensor: 4MP. Resolution: Full HD 1080 p. Coding: H.264. Long-range detection: up to 20 m. Field of view: 100°. 8x digital zoon for videos. Video live microphone. LED spotlight: 12 W, variable intensity. Infrared night vision: 15 m. Encryption protected access to the smartphone using the Home + Security App. Weather resistant: designed for outdoor use (HZO protection).

ltem	SMART INDOOR CAMERA
NSCO1-P	Smart indoor safety camera with people detection consisting of an aluminium monobloc unit. Video sensor: 4MP. 130° panoramic view for a wider coverage. High quality video with Full HD 1080 p viewing. Guaranteed day and night protection with infrared vision, for comfortable viewing even in total darkness. Recording only in case of intrusion, in respect of the privacy of the family. Encryption protected access to the smartphone using the Home + Security App. Declaration of conformity and FCC declarations. Open-source compatibility. It has to be connected to an electric socket with the supplied AC adapter.



DTG-P




NDB-P



NIS01-P

ltem	SMART DOOR AND WINDOW SENSORS
DTG-P	Smart opening sensors for doors and windows ideal for safety. Sensors with waterproof monobloc construction, vibration/ motion detection and open/closed status. Power supply with 2 AAA-type batteries included in the package. They only work with the smart indoor camera (sold separately): radio link between the sensors and the camera. Declaration of conformity and FCC. Open-source compatibility. Can be controlled and managed remotely with Home + Security app.
ltem	SMART VIDEO DOORBELL
NDB-P	Smart video doorbell for outdoor installation. Allows you to receive a video call on your smartphone when someone rings the doorbell. Equipped with Camera: 2 megapixels, 5x digital zoom. HDR function of automatic adaptation to lighting conditions. Infrared night vision even in conditions of total absence of brightness. Video: Full HD 1080 p, portrait format 9:16. Field of view: 140° diagonal. Sound: high-quality speaker and microphone. Night vision: Infrared LED. Operating temperature: -10° to 40° C. Weather resistant: HZO protection and IP44 certification. Power supply: 8-24 VAC & 230 VAC; minimum 8 VA. Local storage on microSD memory card and optional storage on Dropbox or FTP server MicroSD card up to 32 GB (class 10). Data protection with encrypted connection for the highest level of privacy. Requirements: high speed internet access. The minimum required upload and download speed is 25 KB/s. Hotspots are not supported. Wireless specifications: Wi-Fi 802.11 b/g/n (2.4 GHz), Open/WEP/WPA/ WPA2-personal. Operation via Home + Security app (iOS 10 required minimum - Android 5.0 required minimum). Compatible with Apple HomeKit, Google Assistant and Amazon Alexa.www
ltem	SMART INDOOR SIREN
NISO1-P	Smart indoor siren with 110 dB alarm, pre-recorded sounds and vibration sensor for tamper detection. Battery power supply or with a cable (not supplied) using the USB micro port. It only works with the smart indoor camera and must be installed in the same room: Bluetooth Low Energy (BLE) wireless connection with the smart indoor camera. Declaration of conformity and FCC declarations. Open-source compatibility. Operation using the Home + Security app.



## Classe 300EOS Legal notes

To use the video door entry call repeat service on a smartphone, the customer must acquire the technical equipment which allows access to the Internet, on the basis of an agreement made by the customer himself with an ISP (Internet Service Provider). BTicino plays no part in this. The customer must install the Home + Security App on his smartphone so that he can use some services which BTicino supplies as extras to the normal basic functions of the Classe 300EOS video internal unit. The services offered by means of the App require being able to interact with Classe 300EOS remotely and through the Internet. In these cases, the integration and good working between the video internal unit and App may depend on:

a) quality of the Wi-Fi signal;

b) type of access contract to the home internet;

c) type of data contract on the smartphone

When one of these 3 elements does not conform with the specifications required for product operation, BTicino accepts no responsibility for any faults. The product supports a VoIP streaming system. You must therefore check with your smartphone contract - data network - that it does not block it. We should also like to inform you that the service provided by BTicino - remote use via App - involves the use of data. The cost linked to data usage depends on the type of contract which the customer has with his ISP (Internet Service Provider) and is solely the customer's responsibility.


## Do you have to create a new video door entry system?

Use the video door entry system configurator. Define in a few steps your type of system and the characteristics of the building. You can choose the products and functions that best suit your needs, starting from our KIT solutions.

You will also always be updated about our active promotions.

#### https://vdeconfigurator.bticino.com/

START HERE BY SELECTING THE TYPE OF BUILDING





Online quote with the single house configurator >

The configurator produces a list of the necessary materials and their prices.





Online quote with the apartment complex configurator >

#### Legrand Australia

Building 4, Nexus Industry Park 43-47 Lyn Parade, Prestons NSW 2170 Tel.: 1300 369 777 www.legrand.com.au

Legrand New Zealand

106-124 Target Road Glenfield, Auckland 0627 Tel.: 0800 476 009 www.legrand.co.nz

